





# **KEEP YOUR ACTION**



Case equipped with precubed foam in the bottom and convoluted foam in the lid.

Ideal to store and protect your iPad, tablet or small electronics.





#### **OTHER ACCESSORIES:**

- Padlocks with key or combination.
- Shoulder strap.





BLACK MIL. GREEN









EMPTY

300	וב	L	w	D		
500	10	LENGTH	WIDTH	DEPTH	LID	BASE
Internal dim.	mm	300	210	58	20	38
	in	11 13/16	8 1/4	2 5/16	13/16	1 1/2
External dim.	mm	326	269	75		
	in	12 13/16	10 9/16	2 15/16		
Weight empty	kg 1,10			lbs 2.42		
Weight w/foam		kg 1,15			lbs 2.53	
Volume		lt 3,6			gal 0.95	
Buoyancy	1	kg/max 2,1	1	k	os/max 0.5	55
Temp. rating	°C m	in -33 ma	x +90	°F min	-27.4 m	ax +194
Certifications	IP67 - S	- STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev			1 (lev. J)	
Mod.	в	0	G	BE	OE	GE
	black wilcom	Stenge	mil.green windem	black	orange	mil.green empty





# **CAMERAS SAFELY!**

### 2712.BPH

Case with a padded divider insert with adjustable partitions and convoluted foam (art. DIV2712). Ideal to store action cameras, compact cameras and accessories.

#### OTHER ACCESSORIES:

- Padlocks with key or combination.



BLACK





ORANGE



WITH FOAM


-	2712		L	w	D		
-	:/	2	LENGTH	WIDTH	DEPTH	LID	BASE
Interna	il dim.	mm	276	200	120	35	85
		in	10 7/8	7 7/8	4 3/4	1 3/8	3 3/8
Externa	al dim.	mm	305	270	144		
		in	12	10 5/8	5 11/16		
Weight	t empty	kg 1,62				lbs 3.57	
Weight	w/foam		kg 1,83			lbs 4.03	
Volume	9		lt 6,6			gal 1.58	
Buoya	ncy	kg/max 4,2			k	os/max 9.2	25
Temp.	rating	°C mi	in -33 ma	ix +90	°F min	-27.4 m	ax +194
Certific	ations	IP67 - S	STANAG 4	280 (ed. 2	2) - DEF STAN 81-41 (lev. J)		1 (lev. J)
Mod.	BPH	в	0	G	BE	OE	GE
- F	complete shoto/set	wiegk	asenge	mil.green without	blask	orange	mil.green embly



**OTHER CONFIGURATIONS:** 

Elastic bands









# THE BEST ACTION CA

### 3317.BPH

Case with a padded divider insert with adjustable partitions and convoluted foam (art. DIV3317). Ideal to store mirrorless cameras, action cameras and accessories.

Elastic bands with Velcro are provided to fix small equipment



**OTHER CONFIGURATIONS:** 

OTHER ACCESSORIES:

- Padlocks with key or combination.





BLACK MIL. GREEN



ORANGE





EMPTY

WITH FOAM

	3317		L	W	D		
	וככ	/	LENGTH	WIDTH	DEPTH	LID	BASE
Intern	nal dim.	mm	330	234	170	68	102
		in	13	9 3/16	6 11/16	2 11/16	4
Exter	nal dim.	mm	360	304	194		
		in	14 3/16	11 15/16	7 5/8		
Weig	ht empty	kg 2,29				lbs 5.04	
Weigt	ht w/foam	kg 2,51				lbs 5.53	
Volun	ne		lt 13,1			gal 3.43	
Buoy	ancy		kg/max 7,0			s/max 15.4	43
Temp	. rating	°C mi	°C min -33 max +90			-27.4 m	ax +194
Certif	ications	IP67 - S	STANAG 4	280 (ed. 2	d. 2) - DEF STAN 81-41 (lev. J)		
Mod.	BPH	в	0	G	BE OE GE		
	complete photo/set	wieck	atenge	mil.green	black	orange	mil.green





### 3818.BPH

Case with a padded divider insert with adjustable partitions and convoluted foam (art. DIV3818). Ideal to store DSLR cameras, lenses, flashes and other accessories.



#### **OTHER COLORS:**







BLACK

MIL. GREEN

ORANGE

#### OTHER CONFIGURATIONS:





WITH FOAM

OTHER ACCESSORIES: - Padlocks with key or combination.



Elastic bands with Velcro are provided to fix small equipment

	381	0	L	W	D		
	201	•	LENGTH	WIDTH	DEPTH	LID	BASE
Intern	al dim.	mm	380	270	180	45	135
		in	14 15/16	10 5/8	7 1/16	1 3/4	5 5/16
Exter	nal dim.	mm	410	340	205		
		in	16 1/8	13 3/8	8 1/16		
Weig	ht empty	kg 3,14				lbs 6.92	
Weigh	ht w/foam		kg 3,58			lbs 7.89	
Volun	ne		lt 18,4			gal 4.75	
Buoy	ancy	kg/max 12,4			lb	s/max 27.	33
Temp	Temp. rating °C mi		in -33 ma	ix +90	°F min	-27.4 m	ax +194
Certif	ications	IP67 - S	STANAG 4	280 (ed. 2	2) - DEF STAN 81-41 (lev. J)		
Mod.	BPH	в	0	G	BE	OE	GE
	complete photo/set	wiesk	258088	mil.green	black	orange	mil.green empty



# CARRY ALL YOUR

### 4419.BPH

Case with a padded divider insert with adjustable partitions and convoluted foam (art. DIV4419). Ideal to store DSLR cameras, lenses, flashes and other accessories.

> Elastic bands with Velcro are provided to fix small equipment



**OTHER CONFIGURATIONS:** 

#### OTHER ACCESSORIES:

- Padlocks with key or combination.
- Shoulder strap.

#### **OTHER COLORS:**



BLACK



MIL. GREEN







EMPTY

WITH FOAM

1	0		
	0	200	
2			
- 6 -		-	


	1111	0	L	W	D			
	441	9	LENGTH	WIDTH	DEPTH	LID	BASE	
Intern	ial dim.	mm	445	345	190	47	143	
		in	17 1/2	13 9/16	7 1/2	1 7/8	5 5/8	
Exter	nal dim.	mm	474	415	214			
		in	18 11/16	16 5/16	8 7/16			
Weigl	ht empty		kg 4,00			lbs 8.81		
Weigh	nt w/foam		kg 4,70		lbs 10.36			
Volun	ne		lt 29,2					
Buoya	ancy	kg	/max 19,7	,	lbs			
Temp	. rating	°C m	in -33 m	ax +90	°F	min -27.4	max +1	94
Certif	ications	IP67 - S	STANAG 4	280 (ed. 2	2) - DEF S	TAN 81-4	1 (lev. J)	
Mod.	BPH	BDR	BPHB	В	0	G		
	complete photo/set	complete complete photo/set drone/set p		black w/foam	orange w/foam	mil, green w/foam		
				BE	OE	GE		
				black empty	orange empty	mil. green empty		



# **CAMERAS AT ONCE!**

### 4419.BDR

Case equipped with padded drone bag that can be used as a practical backpack (art. DRN44). Ideal to store, transport and protect a Parrot drone or similar and related accessories.



### \*Fits Parrot Bebop drone



Backpack+

Extractable padded pouches for accessories and batteries. They can be worn with any belt

Frontal

pockets for

tablets and

accessories

The padded bag can be used as a practical backpack

### 4419.BPHB

Case equipped with padded bag with internal adjustable partitions. It can be used as a practical backpack (art. BPH44). Ideal to store, transport and protect DSLR cameras, lenses, flashes and accessories.



# MAXIMUM PROTECTION

### 4820.BPH

Case with a padded divider insert with adjustable partitions and convoluted foam (art. DIV4820). Ideal to store medium format digital cameras, lenses, flashes and other accessories.

#### OTHER ACCESSORIES:

- Padlocks with key or combination.





MIL. GREEN

BLACK



ORANGE



**OTHER CONFIGURATIONS:** 



EMPTY

WITH FOAM

1	182	0	L	w	D		
	100	: U	LENGTH	WIDTH	DEPTH	LID	BASE
Intern	al dim.	mm	480	370	205	50	155
		in	18 7/8	14 9/16	8 1/16	1 15/16	6 1/8
Extern	nal dim.	mm	520	435	230		
		in	20 1/2	17 1/8	9 1/16		
Weigh	nt empty	kg 4,64				lbs 10.22	
Weigh	t w/foam		kg 5,40			lbs 11.90	
Volum	ю	lt 35,5				gal 9.24	
Buoya	incy	k	g/max 24,	7	lb	s/max 54.4	45
Temp.	rating	°C mi	in -33 ma	ix +90	°F min	-27.4 m	ax +194
Certifi	cations	IP67 - 9	STANAG 4	280 (ed. 2	2) - DEF S	TAN 81-4	1 (lev. J)
MiL-		MIL-ST	D 810G				
Mod.	BPH	В	0	G	BE	OE	GE
	SASISIST	black w/foam	orange w/login	mil, green w/reem	black	orange empty	mil. green empty





### 5122.BPH

Case with a padded divider insert with adjustable partitions and convoluted foam (art. DIV5122). Ideal to store medium format digital cameras, lenses, flashes and other accessories.





Wheels and extractable handle

Self-oiling free running wheels

	- 1 -	7	L	w	D		
	512	2	LENGTH	WIDTH	DEPTH	LID	BASE
Intern	al dim.	mm	517	277	217	50	167
		in	20 3/8	10 7/8	8 9/16	1 15/16	6 9/16
Extern	nal dim.	mm	546	347	247		
		in	21 1/2	13 11/16	9 3/4		
Weigh	nt empty		kg 6,00			lbs 13.22	
Weigh	t w/foam	kg 7,00				lbs 15.43	
Volum	ю		lt 31,0			gal 8.18	
Buoya	ancy	k	kg/max 21,5			s/max 47.3	39
Temp.	Temp. rating °C mi		in -33 ma	ix +90	°F min	-27.4 m	ax +194
Certifi	cations	IP67 - S	STANAG 4	280 (ed. 2	d. 2) - DEF STAN 81-41 (lev. J)		
Mod.	BPH	в	0	G	BE	OE	GE
	complete photovet	wiegk	Stenge	mil.green	black	orange	mil.green entxy

**OTHER COLORS:** 









#### BLACK

MIL. GREEN

#### **OTHER CONFIGURATIONS:**





EMPTY

WITH FOAM

#### **OTHER ACCESSORIES**

- Padlocks with key or combination.



# **IDEAL PROTECTION**

### 5326.BPH

Case with two padded dividers inserts with adjustable partitions and convoluted foam (art. DIV53). Ideal to store professional cameras, lenses, flashes and other accessories.



Wheels and extractable handle




Elastic bands with Velcro are provided to fix small equipment

#### **OTHER CONFIGURATIONS:**





WITH FOAM





Self-oiling

wheels

**OTHER ACCESSORIES:** 

- Padlocks with key or

combination.

free running

**OTHER COLORS:** 



BLACK



MIL. GREEN ORANGE



EMPTY



# **AGAINST SHOCKS!**

### 5326.BDR

Case equipped with padded drone bag that can be used as a practical backpack (art. DRN53). Ideal to store, transport and protect a DJI Phantom drone or similar and related accessories.



### \*Fits DJI Phantom drone



Extractable padded pouches for accessories and batteries. They can be worn with any belt

The padded bag can be used as a practical backpack

ANG

Backner

Frontal pockets for tablets and accessories

Extractable padded bumbag to keep your controller safe

0.

Self-oiling free running wheels

### 5326.BPHB

Case equipped with padded bag with internal adjustable partitions. It can be used as a practical backpack (art. BPH53). Ideal to store professional cameras, lenses, flashes and accessories.

- 11 -



### 5823.BPH

Case with two padded dividers inserts with adjustable partitions and convoluted foam (art. DIV58). Ideal to store professional cameras, lenses, flashes and other accessories.



Wheels and extractable handle



Elastic bands with Velcro are provided to fix small equipment

#### **OTHER CONFIGURATIONS:**



EMPTY



WITH FOAM





### wheels

#### **OTHER ACCESSORIES:**

- Padlocks with key or combination.



MIL. GREEN

**OTHER COLORS:** 

BLACK









## 5833.BPH

Case with three padded dividers inserts with adjustable partitions and convoluted foam (art. DIV58 + DIV58.1 + DIV58.2).

Ideal to store professional cameras, lenses, flashes and other accessories.



Wheels and extractable handle



Elastic bands with Velcro are provided to fix small equipment

#### OTHER COLORS:







BLACK

MIL. GREEN

#### ORANGE

#### OTHER CONFIGURATIONS:





WITH FOAM

• OTHER ACCESSORIES: • Padlocks with key or combination.



Self-oiling free running wheels

E O S	רו	L	w	D		
583	55	LENGTH	WIDTH	DEPTH	LID	BASE
Internal dim.	mm	580	440	330	60	270
	in	22 13/16	17 5/16	13	2 3/8	10 5/8
External dim.	mm	670	510	372		
	in	26 3/8	20 1/16	14 5/8		
Weight empty		kg 10,54			lbs 23.23	
Weight w/foam		kg 12,65			lbs 27.88	
Volume		lt 84,2			gal 22.19	
Buoyancy	ŀ	/max 62,	0	lbs	/max 136.	.68
Temp. rating	°Cm	in -33 ma	ix +90	°F min	-27.4 ma	ax +194
Certifications	IP67 - 9	STANAG 4	280 (ed. 2	2) - DEF S	TAN 81-4	1 (lev. J)
	MIL-ST	D 810F				
Mod. BPH	В	0	G	BE	OE	GE
complete photo/set	wiesk.	2585288	nilvesen	blasky	orange empty	mil.green empty

# **SAFELY FLY YOUR DR**

### 7745.BDR

Case with a padded divider insert with adjustable partitions and lid panel with pouches (art. DRN77). Ideal to store, transport and protect a DJI Inspire drone or similar and related accessories.

#### \*FITS DJI Inspire drone or similar



Extractable padded bumbag to keep your controller safe

#### OTHER COLORS:

OTHER ACCESSORIES: - Padlocks with key or



combination.

BLACK

MIL. GREEN



ORANGE



EMPTY

WITH FOAM

**OTHER CONFIGURATIONS:** 

Self-oiling free running wheels

Wheels and extractable handle



They can be worn with any belt



Extractable padded pouches for accessories and batteries

7745		L	w	D		
//ч	5	LENGTH	WIDTH	DEPTH	LID	BASE
Internal dim.	mm	770	580	450	90	360
	in	30 5/16	22 13/16	17 11/16	3 9/16	14 3/16
External dim.	mm	836	641	489		
	in	32 15/16	25 1/4	14 3/16		
Weight empty		kg 14,20			lbs 31.30	
Weight w/foam		kg 19,47			lbs 42.92	
Volume		lt 200			gal 52.83	
Buoyancy	k	g/max 144		lbs	/max 317	.47
Temp. rating	°C min -33 max +90			°F min	-27.4 ma	x +194
Certifications	IP67 - 9	7 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (le				1 (lev. J)
Mod. BDR	В	0	G	BE	OE	GE
complete drome/set	black w/loam	orange w/toam	mil, green w/loam	black empty	orange empty	mil, green empty

14



# **ONE, EVERYWHERE!**

### TRIPOD BAG90

Padded tripod bag in tear resistant fabric. Adjustable shoulder strap and frontal pouch for accessories.

Ideal to protect and transport professional tripods for cameras and video cameras. Weight: 0,88 Kg External dim.: 900x200x80 mm

# Photo & Video





### MUB78 PHOTO

Lightweight, injection moulded PP box for tough heavy duty use. Ideal for use where high loading capacity is needed, for photo and video equipment, such as tripods, lights, cables, batteries, etc.

- Water and shock resistant
- Corrosion proof
- Lifting points on both ends
- Trolley with wheels and pull handle
- Large frontal handle
- Padlockable and stackable Weight: 6,3 Kg

Internal dim.: 780x410x330 mm



HEAVY DUTY BRASS PADLOCK W/KEY (Art. EXPL PADLOCK)



COMBINATION PADLOCK (Art. EXPL COMBILOCK)



TSA COMBI PADLOCK (Art. EXPL TSA.DIGILOCK)



Patented padlocks designed to fit snug to the explorer case mould so as not to swing out





Distributor



**GT LINE** srl Via del Lavoro, 50/52 - Loc. Crespellano 40053 Valsamoggia (Bo) - Italy Tel. +39 051 65041 - Fax +39 051 734925 www.explorercases.com - salesinternational@gtline.com